


## 49 inch Floor standing touch screen digital kiosk






### Features

- Fantastic picture quality, brilliant colors, clear and smooth playback
- IPS display, high-definition, wide viewing angle
- Diversified advertising display, supports multiple model
- Strong performance and lasting power
- HD tempered glass, aluminum alloy frame, rounded arc corner design
- Local offline layout, remote release, simple and convenient
- Cloud smart publishing is easier, computers and mobile phones are updated at any time

### Multi screen model

(Picture-In-Picture) feature gives a chance to compose up to 2 divided splitscreen on landscape or portrait display format. This gives great flexibility to users to allocate space for each content source






## Easy installation

### Step 1

Put the body on a flat place and insert the base into the bottom of the body




### Step 2

Install the screws, screw the screws into the screw holes, and confirm whether they are tightened



### Step 3

Erect the Kiosk



# Specification of 49-inch floor standing Kiosk

Item	Name	49-inch floor standing touch screen kiosk
Motherboard	OS	Android
	CPU	RK3288 Cortex-A17 1.8GHz
	RAM	2GB
	HDD	16GB
	Network	RJ45 / WiFi(2.4G)/( Bluetooth/ Extendable 4G optional)
	Interface	(Peripherals)USB2.0×2、HDMI×1、RJ45×1(100M/100M)
LCD	LCD panel	Brand new LG/ AUO/ BOE LCD panel
	Display area(mm)	1073*604
	Display ratio	16:9
	Brightness	320cd/m <sup>2</sup>
	Contrast	1200: 1
	Viewing angle	178°(V)/ 178°(H)
	Color gamut	1.07B(10bits)
	Decoding capacity	1CH@4k 4CH@1080P
	Response time	8ms
	Touch screen	IR Multiple-point touch screen 10 touch
Support format	OS Version	Adroid 9.1
	Language	Multi-language
	Video formats	RM/RMVB, MKV, TS, FLV, AVI, VOB, MOV, WMV, MP4
	Audio formats	MP3, WMA, WAV, AC3, FLAC
	Image formats	BMP/PNG/GIF/JPEG
	Other	PDF、PPT、SWF text、Real-time data stream
Body	System management	Unified management, group management, multi-user management, remote management, timing switch
	Body color	Black + silver/custom
	Body size	1856*673*24
	Material	Toughened glass + sheet metal + aluminum profiles
	Installation	Floor standing
	Tempered	4mm
Others	Logo	Customized
	Power supply	AC100-240V
	Working power	≤120W
	Standby power	≤0.5W
	Life span ( hrs )	≥60,000hrs
	Working time	7x17h
	Working temperature	0~40℃
	Storage temperature	-20~60℃
	Working humidity	5% ~ 85%
	Store humidity	5% ~ 85%
Warranty	2 years	
Packaging	Paper box(MM)	1862*150*734
	Net W./Gross W.(Kg)	47.5KG/58.6KG(Approx)